

US Serial No. 10/542315  
Page 2 of 8

RECEIVED  
CENTRAL FAX CENTER  
OCT 05 2009

In the Claims:

1.(currently amended) An encapsulated fragrance composition comprising consisting essentially of: water, a fragrance material, and -encapsulated in a liquid crystal-forming material containing at least one fatty alcohol having at least 22 carbon atoms, and wherein the liquid crystal-forming material additionally contains a reinforcing material, the reinforcing material being a material which causes the encapsulated fragrance composition to exhibit a plateau region of the store elastic modulus higher than  $10^3$  Pascal at 25°C, which reinforcing material is selected from the group consisting of:

- a) crystalline or partially crystalline polyethylene having a molecular weight less than 10,000 g/mol;
- b) poly(ethylene-b-ethylene oxide) copolymers having an ethylene oxide level of lower than 80% and a molecular weight lower than 2500 g/mol;
- c) alginates optionally admixed with amphiphilic modified starches or dextrans having a 1% solution viscosity lower than 50 mPas when measured in water at 20 °C with a Brookfield viscometer having a spindle number 1 and operating at 60 rpm; and,
- d) sodium silicate combined with calcium, in which sodium silicate is added to the liquid-crystal-forming material and the cross-linking reaction is carried out in situ by post-addition of calcium chloride after the formation of the liquid-crystalline phase.

2(cancelled)

3.(cancelled)

4.( cancelled)

5.( cancelled)

6.( cancelled)

US Serial No. 10/542315  
Page 3 of 8

- 7.( currently amended)      An encapsulated ~~A~~ fragrance composition according to claim 1 wherein the liquid crystal-forming material is a mixture of a non-ionic surfactant and at least one long chain fatty alcohol having at least 16 carbon atoms, at least one of which alcohols has at least 22 carbon atoms.
- 8.( currently amended)      An encapsulated ~~A~~ fragrance composition according to claim 1 in the form of an aqueous dispersion of particles, the particles containing liquid crystalline structures.
- 9.(currently amended)      An encapsulated ~~A~~ fragrance composition according to claim 1 wherein it exhibits a plateau region of the store elastic modulus of higher than 103 Pa, as measured on a Paar Physica Rheometer MCR 300 fitted with a cone-plate measuring unit and operating in the oscillating mode, with a cone-plate measuring unit CP25-2 having the characteristics: shear rate factor: 3 s-1/min-1, shear stress factor: 12.223 Pa, sample volume: 0.16 cm<sup>3</sup>, radius of measuring cone: 12.5 mm, angle of measuring cone: 2°, cone truncation: 50 micrometers.
- 10.(currently amended)      An encapsulated ~~A~~ fragrance composition according to claim 1 wherein the composition has a liquid crystalline phase with a periodicity length, as measured by X-ray diffraction of between 30 and 120 Angstroms.
- 11.(currently amended)      An encapsulated ~~A~~ fragrance composition according to claim 1 wherein the composition exhibits at least one melting transition at a temperature higher than 50°C.
- 12.(currently amended)      A household ~~Household~~ product comprising an encapsulated fragrance ~~a~~ composition according to claim 1.
- 13.(currently amended)      A personal ~~Personal~~ care product comprising an encapsulated fragrance ~~a~~ composition according to claim 1.

PAGE 4/8 \* RCVD AT 10/5/2009 3:00:42 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/20 \* DNIS:2738300 \* CSID: \* DURATION (mm-ss):03-06